



U Type Galvanized Fire Resistance Halfen Channel 21mm Height For Versatile Applications

Our Product Introduction

for more products please visit us on galvmetal.com

Basic Information

- Place of Origin: Hebei, China
- Certification: ISO9001
- Minimum Order Quantity: Negotiable
- Price: Negotiable
- Packaging Details: According to customer needs
- Delivery Time: 15-30 work days
- Payment Terms: TT



Product Specification

- Installation Type: Welded Or Bolted
- Material: Galvanized Steel
- Weight: Based On Size
- Width: Customization
- Surface Treatment: Smooth
- Height: 21mm
- Surface Treatment: Hot-dip Galvanized
- Thickness: Customization
- Strength Grade: Level 4.8
- Length: 50mm 60mm
- Highlight: **halfen channel 21mm,
fire resistance halfen channel,
galvanized halfen track**



Product Description

Product Description:

With a height of 21mm and a width that can be customized to meet your specific needs, the Halfen Channel is perfect for a wide range of applications. Whether you are working on a large commercial construction project or a small residential renovation, this channel is sure to meet your needs.

One of the key features of the Halfen Channel is its processing service. This product can be welded to provide a strong and secure connection that will stand up to even the toughest conditions. And if welding isn't an option, the channel can also be bolted for added convenience and ease of installation.

Overall, the Halfen Channel is an excellent choice for any construction project that requires a strong and reliable channel. With its exceptional load capacity, versatile installation options, and customizable width, this channel is sure to meet all your needs and exceed your expectations. So why wait? Order your Halfen Channel today and start enjoying the benefits of this high-quality product!

Technical Parameters:

Attribute	Value
Product Name	Halfen Channel
Corrosion Resistance	Class 4
Processing Service	Welding
Material	Galvanized Steel
Load Capacity	4.5kN
Length	Customization
Height	21mm
Weight	Based On Size
Surface Treatment	Smooth, Hot-dip Galvanized
Shape	U-type


Applications:

The Halfen Channel product is an ideal solution for a variety of different construction projects. It can be used in both welded and bolted installation types, and its smooth surface treatment is perfect for ensuring a secure fit. The product is 21mm in height and has a load capacity of 4.5kN, making it a reliable choice for any construction project.

One of the most common application occasions for Halfen Channel is in the construction of reinforced concrete structures. By using Halfen Embedded Parts, builders can ensure that the structure is strong, stable, and resistant to a wide range of external forces. The product can also be used in the construction of bridges, tunnels, and other heavy-duty structures.

Halfen Channel is also an excellent choice for use in curtain walls and façades. Its smooth surface treatment ensures a secure fit, and its high load capacity makes it suitable for use in even the most demanding applications. Additionally, the product's customizable length makes it easy to adapt to a wide range of different projects.

In conclusion, Halfen Channel is a reliable and versatile product that is ideal for use in a wide range of different construction projects. Its high load capacity, smooth surface treatment, and customizable length make it an excellent choice for builders and contractors who need high strength embedded parts. Whether you are working on a large-scale construction project or a smaller, more specialized job, Halfen Embedded Parts are sure to meet your needs.



Packing and Shipping:

The Halfen Channel product will be packaged in a sturdy cardboard box to ensure protection during shipping.

The box will be labeled with the product name, dimensions, and weight for easy identification.

Inside the box, the product will be securely wrapped in bubble wrap to prevent any damage during transportation.

Shipping:

The Halfen Channel product will be shipped via a reputable carrier, such as UPS or FedEx.

The shipping cost will be calculated based on the weight and dimensions of the package as well as the destination.

Customers will receive a tracking number to monitor the status of their shipment.

Delivery times may vary depending on the destination, but typically range from 2-7 business days.

If any issues arise during shipping, customers can contact our customer service team for assistance.

FAQ:

Q: What is the place of origin of Halfen Channel product?

A: The Halfen Channel product originates from Hebei, China.

Q: Is the Halfen Channel product certified?

A: Yes, the Halfen Channel product is certified by ISO9001.

Q: What is the minimum order quantity for the Halfen Channel product?

A: The minimum order quantity for the Halfen Channel product is negotiable.

Q: What is the price of the Halfen Channel product?

A: The price of the Halfen Channel product is negotiable.

Q: How is the packaging of the Halfen Channel product done?

A: The packaging details of the Halfen Channel product are according to customer needs.

Q: What is the delivery time for the Halfen Channel product?

A: The delivery time for the Halfen Channel product is 15-30 work days.

Q: What are the payment terms for the Halfen Channel product?

A: The payment terms for the Halfen Channel product are TT.



Tianjin Baoli Gold Pipe Co., Ltd



+86-15022596169



tjbaolijin@126.com



galvmetal.com

Jinghai District, Tianjin City, China