

Welded 4.5KN Galvanized Steel Halfen Groove For Embeds Corrosion Resistant

Basic Information

Quantity:

Place of Origin: Hebei, China
 Certification: ISO9001
 Minimum Order Negotiable

• Price: Negotiable

• Packaging Details: According to customer needs

• Delivery Time: 15-30 work days

• Payment Terms: TT



Product Specification

• Load Capacity: 4.5kN

• Length: 100 150 200 mm

• Corrosion Resistance: Class 4

Surface Treatment: Hot-dip Galvanized

• Application: Concrete Structures, Industrial Buildings,

Bridges, Etc.

• Installation Type: Welded Or Bolted

• Surface Treatment: Smooth

Weight: Based On SizeThread Pitch: 16|24|32

• Highlight: galvanized steel halfen groove,

welded halfen channel, welded steel halfen groove



More Images



Product Description:

One of the key benefits of the Halfen Channel is its fire resistance. It has been rated as Class A1, which is the highest rating that can be achieved. This means that in the event of a fire, the product will not contribute to the spread of flames or smoke, helping to keep building occupants safe.

When it comes to construction projects, it is important to choose materials that are durable and reliable. The Halfen Channel is a product that meets these criteria, offering a high level of performance and resistance to corrosion. Its C-shaped groove design makes it easy to install and work with, and its load capacity makes it suitable for a wide range of different applications.

Overall, the Halfen Channel is a versatile and reliable product that is ideal for use in construction projects. Its fire resistance, corrosion resistance, and load capacity make it a smart choice for anyone looking for high-quality embedded parts that will stand up to the demands of the job.

Technical Parameters:

Surface treatment	Smooth
Width	Customization
Material	Galvanized Steel
Fire Resistance	Class A1
Weight	Based On Size
Length	Customization
Thickness	Customization
Height	21mm
Application	Concrete Structures, Industrial Buildings, Bridges, Etc.
Load Capacity	4.5kN
Product Attributes	High strength embedded parts, Halfen Groove

Applications:

The Halfen Channel is ideal for a variety of applications in the construction industry, such as for concrete structures, masonry walls, facades, and precast concrete elements. It is also commonly used for industrial and commercial building projects that require structural support. The product's smooth and hot-dip galvanized surface treatment ensures durability and long-lasting performance. The Halfen Channel's height measures at 21mm, and its thickness can be customized according to the specific requirements of the project. It is a versatile and reliable product that can be used in a wide range of scenarios, including but not limited to:

Building foundations

Retaining walls

Bridges and tunnels

Roof structures

Framework for heavy machinery





Packing and Shipping:

Product Packaging:

The Halfen Channel product is packaged in a sturdy cardboard box to ensure safe delivery. Each box contains 10 pieces of the channel and is sealed with tape to prevent any damage during shipping.

Shipping:

We offer free standard shipping for all orders of Halfen Channel within the United States. Orders are processed within 2 business days and shipped via UPS Ground. Delivery usually takes 3-5 business days depending on the destination. Expedited shipping options are also available for an additional fee.

FAQ:

- Q: Where is the Halfen Channel product made?
- A: The Halfen Channel product is made in Hebei, China.
- Q: What certification does the Halfen Channel product have?
- A: The Halfen Channel product has ISO9001 certification.
- Q: What is the minimum order quantity for the Halfen Channel product?
- A: The minimum order quantity for the Halfen Channel product is negotiable.
- Q: What is the price of the Halfen Channel product?
- A: The price of the Halfen Channel product is negotiable.
- Q: What are the packaging and delivery details for the Halfen Channel product?
- A: The packaging details for the Halfen Channel product are according to customer needs, and the delivery time is 15-30 work days. Payment terms are TT.

Tianjin Baoli Gold Pipe Co., Ltd



+86-15022596169



tjbaolijin@126.com



@ galvmetal.com

Jinghai District, Tianjin City, China