Hebei, China

Negotiable

Q235 Q345 Q355 Carbon Steel H Beam Customized For Construction Galvanized Painted

Basic Information

- Place of Origin:
- Certification: ISO9001
- Minimum Order
 Quantity:
- Price: Negotiable
- Packaging Details: According to customer needs

TT

- Delivery Time: 15-30 work days
- Payment Terms:



Product Specification

| Application: | Construction, Bridge, Machinery, Equipment Foundation, Support, Etc. | |
|---------------------|--|--|
| • Size: | Customization | |
| • Grade: | Q235B, Q345B, SS400, A36, A572 Gr50, S235JR, S355JR | |
| Material: | Q235 Q345 Q355 | |
| Packing: | In Bundles Or As Required | |
| Thickness: | 5-34mm | |
| Surface Treatment: | Galvanized, Painted, Or As Required | |
| • Flange Thickness: | 7-34mm | |
| Highlight: | q355 carbon steel h beam , carbon steel h beam customized , | |

q235 h beam steel



Product Description:

The H-Beam is designed to support heavy loads and is often used in the construction of buildings, bridges, and other structures. It has a high strength-to-weight ratio and is resistant to bending and twisting, making it ideal for use in load-bearing applications. The H-Beam is available in different surface treatments such as galvanized, painted, or as required. This makes it suitable for use in

different environmental conditions, as it provides protection against corrosion and other forms of damage.

The H-Beam is packed in bundles or as required, depending on the customer's needs. This ensures that the product is delivered in good condition and is easy to transport and handle.

In summary, the H-Beam is a versatile and reliable structural steel beam that is commonly used in construction projects. Its high strengthto-weight ratio, resistance to bending and twisting, and different surface treatments and packing options make it suitable for use in a wide range of applications.

Technical Parameters:

| Application | H Sectional Beam, Structural Steel I Beam, H Sectional Beam | |
|-------------------|---|--|
| Grade | Q235B, Q345B, SS400, A36, A572 Gr50, S235JR, S355JR | |
| Flange Thickness | 7-34mm | |
| Shape | H-shaped Cross-section | |
| Material | Carbon Steel | |
| Size | Customization | |
| Surface Treatment | Galvanized, Painted, Or As Required | |
| Thickness | 5-34mm | |
| Length | 6-12m | |
| Packing | In Bundles Or As Required | |

Applications:

The H Sectional Steel Beam is a versatile product that is widely used in various industries. Its main application is in construction, where it is used as a support for buildings, bridges, and other structures. Due to its superior strength and load-bearing capacity, it is the preferred choice of engineers and architects worldwide.

Other applications of the H Sectional Steel Beam include the manufacturing of machinery and equipment, such as cranes, hoists, and excavators. It is also used in the automotive industry for the production of chassis and other structural components. The beam's ability to withstand heavy loads and high stress makes it an ideal choice for these applications.

Overall, the H Sectional Steel Beam is a versatile and durable product that can be used in a wide range of applications. Its strength and load-bearing capacity make it the preferred choice of engineers and architects worldwide.



Packing and Shipping:

Product Packaging:

The H-Beam product will be securely packed in bundles or wooden cases to prevent any damage during transit. The bundles or wooden cases will be properly labeled with the product information and handling instructions. The product will be packed in such a way that it can be easily loaded and unloaded from the truck or shipping container. Shipping: The H-Beam product will be shipped via a reliable freight carrier to ensure timely and safe delivery. The shipping cost will be calculated based on the weight, dimensions, and destination of the product. The customer will be provided with a tracking number to track the shipment online.

FAQ:

- Q: What is an H-beam?
- A: An H-beam is a structural beam made of rolled steel that has an H-shaped cross section.
- Q: What is the place of origin for H-beams?
- A: H-beams are manufactured in Hebei, China.
- Q: What certifications do H-beams have? A: H-beams are certified with ISO9001.
- Q: What is the minimum order quantity for H-beams? A: The minimum order quantity for H-beams is negotiable.
- Q: What are the packaging details and delivery time for H-beams?
- A: Packaging details are according to customer needs and delivery time is 15-30 work days. Q: What are the payment terms for H-beams?
- A: Payment terms for H-beams are TT.

| Tianjin Baoli Gold Pipe Co., Ltd | | | | | |
|---------------------------------------|-----------------|--------------------|-----------------|--|--|
| 0 | +86-15022596169 | tjbaolijin@126.com | @ galvmetal.com | | |
| Jinghai District, Tianjin City, China | | | | | |