




## Tensile Steel H Beams With H Shaped Cross Section 50-400mm Flange Grade Q235B / Q345B

### Our Product Introduction

for more products please visit us on [galvmetal.com](http://galvmetal.com)

#### Basic Information

- Place of Origin: Hebei, China
- Certification: ISO9001
- Minimum Order Quantity: Negotiable
- Price: Negotiable
- Packaging Details: According to customer needs
- Delivery Time: 15-30 work days
- Payment Terms: TT



#### Product Specification

- Packing: In Bundles Or As Required
- Thickness: 5-34mm
- Size: Customization
- Flange Width: 50-400mm
- Grade: Q235B, Q345B, SS400, A36, A572 Gr50, S235JR, S355JR
- Application: Construction, Bridge, Machinery, Equipment Foundation, Support, Etc.
- Length: 6-12m
- Flange Thickness: 7-34mm
- Highlight: **tensile steel h beams,  
tensile h section steel beams,  
400mm steel h beams**



## Product Description

### Product Description:

Our H-Beam, also known as H Sectional Steel Beam or H Sectional Beam, is a type of structural steel I beam with an H-shaped cross-section. It is made from high-quality steel materials and is designed to support heavy loads and withstand extreme forces, making it suitable for a wide range of industrial and construction applications.

Our H-Beam is commonly used in construction for building structures such as bridges, equipment foundations, and supports. It is also popular in the machinery industry for the manufacturing of heavy-duty machines and equipment that require strong support beams.

One of the key benefits of our H-Beam is its high strength-to-weight ratio. This means that it can support heavy loads while still being relatively lightweight, making it easier to handle and install. It is also resistant to bending and twisting, ensuring that it stays strong and stable over time.

Overall, our H-Beam is an excellent choice for anyone looking for a strong, durable, and versatile steel beam for their construction or industrial project. With its H-shaped cross-section, various thicknesses and flange widths, and high strength-to-weight ratio, it is sure to meet your project needs and exceed your expectations.

### Technical Parameters:


Product Name	H Beam
Also Known As	H Sectional Beam, Sectional Steel Beam
Shape	H-shaped Cross-section
Grade	Q235B, Q345B, SS400, A36, A572 Gr50, S235JR, S355JR
Packing	In Bundles Or As Required
Thickness	5-34mm
Flange Width	50-400mm
Length	6-12m
Material	Carbon Steel
Size	Customization
Surface Treatment	Galvanized, Painted, Or As Required
Application	Construction, Bridge, Machinery, Equipment Foundation, Support, Etc.

### Applications:

The H-Beam is commonly used in construction as a load-bearing beam for support structures such as buildings, bridges, and warehouses. It is also used in the automotive industry for chassis and suspension systems. The H-Beam is also used in the manufacturing of machinery and equipment, as well as in the fabrication of trailers and truck beds.

The H-Beam can be treated with different surface treatments such as galvanization, painting, or as required by the customer. The H-Beam is certified with ISO9001, ensuring that it meets the highest quality standards. The minimum order quantity for the H-Beam is negotiable, and the price is also negotiable depending on the quantity ordered.

Overall, the H-Beam is a versatile and durable Structural Steel I Beam that is widely used in construction, engineering, automotive, and manufacturing industries. Its strength and load-bearing capacity make it an ideal choice for support structures, machinery, and equipment.



### **Packing and Shipping:**

#### **Product Packaging:**

The H-Beam product will be securely packaged in wooden crates to prevent any damage during transportation. Each crate will be labelled with product information and handling instructions to ensure safe and efficient handling.

#### **Shipping:**

The H-Beam product will be shipped via freight carriers, for both domestic and international deliveries. Delivery times will vary depending on the destination and shipping method selected. Customers will be provided with a tracking number to monitor the status of their

shipment and ensure timely delivery.

---

### FAQ:

**Q:** What is the place of origin of H-Beam product?

**A:** The H-Beam product is made in Hebei, China.

**Q:** Is H-Beam product certified?

**A:** Yes, the H-Beam product is certified with ISO9001.

**Q:** What is the minimum order quantity for H-Beam product?

**A:** The minimum order quantity for H-Beam product is negotiable.

**Q:** What is the price of H-Beam product?

**A:** The price of H-Beam product is negotiable.

**Q:** What are the packaging details for H-Beam product?

**A:** The packaging details for H-Beam product are according to customer needs.

**Q:** What is the delivery time for H-Beam product?

**A:** The delivery time for H-Beam product is 15-30 work days.

**Q:** What are the payment terms for H-Beam product?

**A:** The payment terms for H-Beam product are TT.



**Tianjin Baoli Gold Pipe Co., Ltd**



+86-15022596169



tjbaolijin@126.com



galvmetal.com

Jinghai District, Tianjin City, China