



7mm-34mm Flange H Beams For Construction Carbon Steel Galvanized H Beam

Our Product Introduction

for more products please visit us on galvmetal.com

Basic Information

- Place of Origin: Hebei, China
- Certification: ISO9001
- Minimum Order Quantity: Negotiable
- Price: Negotiable
- Packaging Details: According to customer needs
- Delivery Time: 15-30 work days
- Payment Terms: TT



Product Specification

- Length: 6-12m
- Thickness: 5-34mm
- Flange Thickness: 7-34mm
- Material: Carbon Steel
- Grade: Q235B, Q345B, SS400, A36, A572 Gr50, S235JR, S355JR
- Flange Width: 50-400mm
- Shape: H-shaped Cross-section
- Packing: In Bundles Or As Required
- Highlight: 7mm galvanized h beam ,
7mm galvanized steel h beam ,
34mm galvanized h beam



Product Description

Product Description:

The H Beam is a versatile and reliable option for a wide range of projects. It is commonly used in the construction of buildings, bridges, and other structures, as well as for machinery and equipment foundations and supports. The H Beam's unique shape and strength make it ideal for applications that require a high level of structural integrity and load-bearing capacity.

The H Beam is available in bundles or can be packaged as required. This makes it easy to transport and store, and ensures that it can be delivered quickly and efficiently to construction sites and other locations. When packaged in bundles, the H Beam is typically secured with steel straps or wire to prevent damage during transportation.

Overall, the H Beam is an excellent choice for anyone looking for a strong and reliable Structural Steel I Beam. Its H-shaped cross-section, wide flange width, and range of sizes make it a versatile option for a variety of construction and engineering projects. Whether you are building a new structure, repairing an existing one, or installing machinery and equipment, the H Beam is a high-quality and dependable choice.

Technical Parameters:


Parameter	Value
Product Name	H Sectional Beam
Size	Customization
Flange Width	50-400mm
Application	Construction, Bridge, Machinery, Equipment Foundation, Support, Etc.
Surface Treatment	Galvanized, Painted, Or As Required
Thickness	5-34mm
Flange Thickness	7-34mm
Length	6-12m
Shape	H-shaped Cross-section
Packing	In Bundles Or As Required
Material	Carbon Steel


Applications:

The H-Beam finds its application in various construction projects such as building structures, bridges, machinery, equipment foundation, support, etc. It is an ideal choice for structures that require a strong and durable foundation. Its versatility makes it suitable for use in both commercial and residential construction projects.

The H-Beam is an essential component in the construction industry due to its ability to withstand heavy loads and provide structural support. It is especially useful in areas with high seismic activity as it provides stability and reduces the risk of collapse during earthquakes.

In conclusion, the H-Beam is a reliable and versatile product that is widely used in the construction industry. Its strength, durability, and versatility make it suitable for various applications and scenarios. Its availability in different grades and lengths allows for customization to meet the specific needs of different construction projects.





Packing and Shipping:

Product Packaging:

The H-Beam product will be securely packed in a wooden crate to prevent any damage during transportation. The crate will be labeled with the product name and specifications for easy identification.

Shipping:

The H-Beam product will be shipped via freight or trucking service depending on the distance and quantity ordered.

The shipping cost will be calculated based on the weight and destination of the order.

Customers will be provided with a tracking number to monitor the delivery status of their order.

FAQ:

Q: What is the place of origin for the H-Beam product?

A: The H-Beam product is manufactured in Hebei, China.

Q: Does the H-Beam product have any certification?

A: Yes, the H-Beam product is certified with ISO9001.

Q: What is the minimum order quantity for the H-Beam product?

A: The minimum order quantity for the H-Beam product is negotiable.

Q: How much does the H-Beam product cost?

A: The price for the H-Beam product is negotiable.

Q: How is the H-Beam product packaged and delivered?

A: The H-Beam product is packaged according to customer needs and delivered within 15-30 work days. Payment terms for the product are TT.



Tianjin Baoli Gold Pipe Co., Ltd



+86-15022596169



tjbaolijin@126.com



galvmetal.com

Jinghai District, Tianjin City, China