



6-12m Length H Metal Beam Sectional Beam A572 Gr50 Versatile And Flexible Support

Our Product Introduction

for more products please visit us on galvmetal.com

Basic Information

- Place of Origin: Hebei, China
- Certification: ISO9001
- Minimum Order Quantity: Negotiable
- Price: Negotiable
- Packaging Details: According to customer needs
- Delivery Time: 15-30 work days
- Payment Terms: TT



Product Specification

- Grade: Q235B, Q345B, SS400, A36, A572 Gr50, S235JR, S355JR
- Flange Thickness: 7-34mm
- Packing: In Bundles Or As Required
- Application: Construction, Bridge, Machinery, Equipment Foundation, Support, Etc.
- Thickness: 5-34mm
- Material: Carbon Steel
- Shape: H-shaped Cross-section
- Size: Customization
- Highlight: **12m h metal beam , 12m metal h beam , versatile h metal beam**



Product Description

Product Description:

The Flange Thickness of the H-Beam ranges from 7mm to 34mm, providing a sturdy and reliable option for structural support. The Thickness of the H-Beam itself can also be customized, ranging from 5mm to 34mm. This allows for a wide range of load-bearing capacities, ensuring that the H-Beam can be tailored to meet the specific needs of any construction project.

The H-Beam is available in a variety of Surface Treatments, including Galvanized, Painted, or As Required. This allows the customer to choose the best option for their specific project needs. Additionally, the H-Beam is typically packed in Bundles, but can also be packaged As Required.

Technical Parameters:

Product Name	Structural Steel H Beam
Size	Customization
Shape	H-shaped Cross-section
Packing	In Bundles Or As Required
Application	Construction, Bridge, Machinery, Equipment Foundation, Support, Etc.
Thickness	5-34mm
Flange Width	50-400mm
Grade	Q235B, Q345B, SS400, A36, A572 Gr50, S235JR, S355JR
Flange Thickness	7-34mm
Length	6-12m
Surface Treatment	Galvanized, Painted, Or As Required

Applications:

The H-Beam is available in custom sizes with a thickness ranging from 5mm to 34mm and a length of 6m to 12m. The surface treatment of the H-Beam can be galvanized, painted, or as required. The minimum order quantity is negotiable, and the price is also negotiable depending on the quantity ordered. The packaging details are tailored to meet the customer's needs.

The H-Beam is ideal for various applications such as building structures, bridges, and machinery support as it can bear heavy loads and provide stability. It is commonly used in steel frame buildings and can support large amounts of weight over long spans. The H-Beam is also used in the construction of bridges, where it is used to support the weight of the structure and provide stability.

The H-Beam is also used in machinery support, where it can support heavy equipment and provide stability. It is commonly used in the construction of cranes, excavators, and other heavy machinery. The H-Beam is also used in the construction of offshore structures, where it can withstand the harsh marine environment and provide stability.



Packing and Shipping:

Product Packaging:

The H-Beam product will be securely wrapped with plastic or metal bands.

The ends of the H-Beam will also be protected with plastic or metal caps.

The H-Beam will be placed on a sturdy wooden pallet for transportation.

The product packaging will also include labels with product information and handling instructions.

Shipping:

The H-Beam product will be shipped via truck or container ship depending on the destination.

The shipping company will be responsible for delivering the product to the designated location.

Shipping times may vary depending on the destination.

Customers will be provided with a tracking number to monitor the status of their shipment.

Please inspect the product upon delivery and report any damages or issues immediately.

FAQ:

Q: What is the place of origin for H-Beam?

A: The place of origin for H-Beam is Hebei, China.

Q: What certification does H-Beam have?

A: H-Beam is certified with ISO9001.

Q: What is the minimum order quantity for H-Beam?

A: The minimum order quantity for H-Beam is negotiable.

Q: What is the price of H-Beam?

A: The price of H-Beam is negotiable.

Q: What are the packaging details for H-Beam?

A: The packaging details for H-Beam are according to customer needs.

Q: What is the delivery time for H-Beam?

A: The delivery time for H-Beam is 15-30 work days.

Q: What are the payment terms for H-Beam?

A: The payment terms for H-Beam are TT.



Tianjin Baoli Gold Pipe Co., Ltd



+86-15022596169



tjbaolijin@126.com



galvmetal.com

