



## Customizable Galvanised Steel H Beam Thickness 5-34mm Flange H Beam

### Our Product Introduction

for more products please visit us on [galvmetal.com](http://galvmetal.com)

#### Basic Information

- Place of Origin: Hebei, China
- Certification: ISO9001
- Minimum Order Quantity: Negotiable
- Price: Negotiable
- Packaging Details: According to customer needs
- Delivery Time: 15-30 work days
- Payment Terms: TT



#### Product Specification

- Flange Width: 50-400mm
- Thickness: 5-34mm
- Shape: H-shaped Cross-section
- Packing: In Bundles Or As Required
- Flange Thickness: 7-34mm
- Application: Construction, Bridge, Machinery, Equipment Foundation, Support, Etc.
- Surface Treatment: Galvanized, Painted, Or As Required
- Grade: Q235B, Q345B, SS400, A36, A572 Gr50, S235JR, S355JR
- Highlight: **34mm flange h beam,  
34mm galvanised steel h beam,  
a36 flange h beam**



## Product Description

### Product Description:

The H Beam is available in a range of sizes and can be customized to meet specific project requirements. It is typically made from Q235B, Q345B, SS400, A36, A572 Gr50, S235JR, or S355JR grade steel, depending on the application and required strength. In addition to its versatility and strength, the H Beam is often chosen for its resistance to bending and torsion. This makes it an ideal choice for applications where heavy loads and stresses are common, such as in the construction of large buildings, bridges, and other structures.

The H Beam can be surface treated with galvanization, painting, or other methods as required for the specific application. This helps to protect the steel from corrosion and extends its lifespan, making it a reliable and cost-effective choice for long-term projects.

In summary, the H Beam is a highly versatile and durable type of steel beam that is commonly used in construction, bridge, machinery, equipment foundation, support, and other industries. Its H-shaped cross-section provides excellent strength-to-weight ratio and resistance to bending and torsion, while its customizable size and surface treatment options make it suitable for a wide range of applications.

Whether you need a standard or custom H Sectional Steel Beam, the H Beam is an ideal choice for your project needs.

### Technical Parameters:

Product Attribute	Value
Product Name	H Sectional Beam
Size	Customization
Material	Carbon Steel
Grade	Q235B, Q345B, SS400, A36, A572 Gr50, S235JR, S355JR
Shape	H-shaped Cross-section
Flange Width	50-400mm
Flange Thickness	7-34mm
Thickness	5-34mm
Surface Treatment	Galvanized, Painted, Or As Required
Application	Construction, Bridge, Machinery, Equipment Foundation, Support, Etc.
Packing	In Bundles Or As Required

### Applications:

Our H-Beams are made from high-quality carbon steel and come in various grades, such as Q235B, Q345B, SS400, A36, A572 Gr50, S235JR, and S355JR, among others. They are produced in Hebei, China, and are certified to meet ISO9001 standards.

We offer flexible minimum order quantities and negotiable prices for our H-Beams. Additionally, we provide customized packaging according to our customer's needs and deliver the H-Beams within 15-30 working days. We accept payment terms via TT.

Our H-Beams come in flange thicknesses ranging from 7-34mm and are packed in bundles or as required. They are perfect for various applications, including:

Construction of buildings and structures

Bridges and overpasses

Machinery and equipment foundation

Support structures



### Packing and Shipping:

#### Product Packaging:

The H-Beam product will be securely packed in bundles with steel straps.

The bundles will be wrapped with plastic sheets to protect the product from scratches and damages during transportation.

The bundles will be labeled with product details, quantity, and customer information for easy identification.

#### Shipping:

The H-Beam product will be shipped by truck or vessel depending on the customer's preference and order quantity.

The shipping cost will be calculated based on the delivery location, transportation mode, and order volume.

Shipping documents including packing list, commercial invoice, and bill of lading will be provided to the customer.

The estimated delivery time will be communicated to the customer once the order is confirmed and shipped.

---

### FAQ:

Q: What is the place of origin of H-Beam product?

A: The H-Beam product is manufactured in Hebei, China.

Q: Is the H-Beam product certified?

A: Yes, the H-Beam product is certified with ISO9001.

Q: What is the minimum order quantity for the H-Beam product?

A: The minimum order quantity for the H-Beam product is negotiable.

Q: What is the price of the H-Beam product?

A: The price of the H-Beam product is negotiable.

Q: What are the packaging details for the H-Beam product?

A: The packaging details for the H-Beam product are according to customer needs.

Q: What is the delivery time for the H-Beam product?

A: The delivery time for the H-Beam product is 15-30 work days.

Q: What are the payment terms for the H-Beam product?

A: The payment terms for the H-Beam product are TT.



**Tianjin Baoli Gold Pipe Co., Ltd**



+86-15022596169



tjbaolijin@126.com



galvmetal.com

Jinghai District, Tianjin City, China