



6-12m Length Carbon Steel H Beam For Stable And Long Lasting H Shaped Steel Cross Section

Our Product Introduction

for more products please visit us on galvmetal.com

Basic Information

- Place of Origin: Hebei, China
- Certification: ISO9001
- Minimum Order Quantity: Negotiable
- Price: Negotiable
- Packaging Details: According to customer needs
- Delivery Time: 15-30 work days
- Payment Terms: TT



Product Specification

- Flange Width: 50-400mm
- Flange Thickness: 7-34mm
- Grade: Q235B, Q345B, SS400, A36, A572 Gr50, S235JR, S355JR
- Size: Customization
- Material: Carbon Steel
- Application: Construction, Bridge, Machinery, Equipment Foundation, Support, Etc.
- Thickness: 5-34mm
- Length: 6-12m
- Highlight: **h shaped steel cross section,
12m h shaped steel, 12m carbon steel h beam**



Product Description:

Made from high-quality carbon steel, this sectional steel beam is designed to withstand heavy loads and provide a stable support structure. Its flange width ranges from 50 to 400mm, making it a great choice for various applications.

The H Sectional Beam is available in thicknesses ranging from 5 to 34mm and can be surface treated to suit your specific needs. Choose from galvanized, painted, or any other treatment as required to ensure your beam is protected against the elements.

Whether you're building a bridge, constructing a new machinery, or laying the foundation for heavy equipment, this sectional steel beam is the perfect choice. Its strength and durability make it a reliable option for any construction project requiring a sturdy support structure.

Technical Parameters:

Product Name	H Sectional Beam
Thickness	5-34mm
Shape	H-shaped Cross-section
Application	Construction, Bridge, Machinery, Equipment Foundation, Support, Etc.
Size	Customization
Flange Thickness	7-34mm
Flange Width	50-400mm
Material	Carbon Steel
Length	6-12m
Grade	Q235B, Q345B, SS400, A36, A572 Gr50, S235JR, S355JR
Packing	In Bundles Or As Required

Applications:

Our H Beam is a versatile product that finds application in a variety of industries. It is a popular choice in construction and bridge building as it provides a sturdy foundation and support. It is also commonly used in machinery and equipment foundations, due to its strength and durability.

The packaging details of our H Beam are tailored to meet the specific needs of our customers. We offer negotiable pricing and minimum order quantities to suit your budget and requirements. Our delivery time is between 15-30 work days, and we accept TT payment terms.

Some common scenarios where our H Sectional Beam can be used include:

Construction of high-rise buildings

Bridges and flyovers

Machinery and equipment foundations

Support structures for heavy loads



Packing and Shipping:

Product Packaging:

The H-Beam product will be securely packed in a wooden crate to prevent any damage during transit.

The crate will be sealed and labeled with product information for easy identification.

Shipping:

The H-Beam product will be shipped through a reliable logistics company.

The shipping time will vary depending on the destination of the product.

The customer will be provided with a tracking number to keep track of their order.

FAQ:

Q: What is the place of origin for H-Beam?

A: H-Beam is manufactured in Hebei, China.

Q: What certification does H-Beam have?

A: H-Beam is certified with ISO9001.

Q: What is the minimum order quantity for H-Beam?

A: The minimum order quantity for H-Beam is negotiable.

Q: What is the price of H-Beam?

A: The price of H-Beam is negotiable.

Q: What are the packaging details for H-Beam?

A: The packaging details for H-Beam are according to customer needs.

Q: What is the delivery time for H-Beam?

A: The delivery time for H-Beam is 15-30 work days.

Q: What are the payment terms for H-Beam?

A: The payment terms for H-Beam are TT.



Tianjin Baoli Gold Pipe Co., Ltd



+86-15022596169



tjbaolijin@126.com



galvmetal.com

Jinghai District, Tianjin City, China