



## H Section Steel Beams Flange Width 50-400mm High Strength And Durability

### Our Product Introduction

for more products please visit us on [galvmetal.com](http://galvmetal.com)

#### Basic Information

- Place of Origin: Hebei, China
- Certification: ISO9001
- Minimum Order Quantity: Negotiable
- Price: Negotiable
- Packaging Details: According to customer needs
- Delivery Time: 15-30 work days
- Payment Terms: TT



#### Product Specification

- Thickness: 5-34mm
- Flange Thickness: 7-34mm
- Shape: H-shaped Cross-section
- Flange Width: 50-400mm
- Surface Treatment: Galvanized, Painted, Or As Required
- Size: Customization
- Material: Carbon Steel
- Application: Construction, Bridge, Machinery, Equipment Foundation, Support, Etc.
- Highlight: **400mm steel h beams,  
400mm h section steel beams,  
durability steel h beams**



## Product Description

### Product Description:

The H-Beam is widely used in the construction industry and is known for its high strength-to-weight ratio and excellent load-bearing capacity. Its flange width ranges from 50mm to 400mm, making it suitable for various applications.

The H-Beam is available with different surface treatments such as galvanized, painted, or as required by the customer. The galvanized coating provides excellent corrosion resistance, while the painted finish can enhance the aesthetic appeal of the beam.

The H-Beam is commonly packed in bundles or as required by the customer. This ensures that the beam remains in good condition during transportation and storage.

The H-Beam is a versatile product that can be used in various applications such as construction, bridges, and infrastructure projects. Its high strength and load-bearing capacity make it ideal for heavy-duty applications.

### Technical Parameters:

Technical Parameter	Description
Product Name	Sectional Steel Beam, Structural Steel I Beam, H Beam
Flange Width	50-400mm
Thickness	5-34mm
Surface Treatment	Galvanized, Painted, Or As Required
Length	6-12m
Application	Construction, Bridge, Machinery, Equipment Foundation, Support, Etc.
Flange Thickness	7-34mm
Material	Carbon Steel
Grade	Q235B, Q345B, SS400, A36, A572 Gr50, S235JR, S355JR
Size	Customization
Packing	In Bundles Or As Required

### Applications:

The H-Beam is a versatile product that can be customized to meet the specific needs of a project. It can be delivered in bundles or as required, with packaging details being tailored to the customer's needs. The delivery time for the H-Beam is typically 15-30 work days, depending on the order size and customization requirements.

One of the key applications for the H-Beam is in construction projects, where its strength and durability make it an ideal choice for supporting heavy loads. It can be used in both residential and commercial construction projects, such as in the construction of buildings, bridges, and other infrastructure.

Another key application for the H-Beam is in machinery and equipment foundation support. Its strength and stability make it an ideal choice for supporting heavy machinery and equipment, such as in factories and manufacturing facilities. It can also be used in the construction of cranes and other lifting equipment.



## Packing and Shipping:

### Product Packaging:

The H-Beam product will be packaged in bundles with steel straps.

The bundles will be covered with plastic sheets to protect against moisture and dust.

The bundles will be labeled with product details such as size, quantity, and production date.

### Shipping:

The H-Beam product will be shipped via sea or land transport.

The shipping method will depend on the customer's location and preference.

The product will be loaded onto containers or trucks with proper equipment to ensure safe transport.

The shipping documents including the bill of lading and commercial invoice will be provided to the customer.

---

## FAQ:

**Q:** What is the place of origin for the H-Beam product?

**A:** The H-Beam product is manufactured in Hebei, China.

**Q:** What certification does the H-Beam product hold?

**A:** The H-Beam product is ISO9001 certified.

**Q:** What is the minimum order quantity for the H-Beam product?

**A:** The minimum order quantity for the H-Beam product is negotiable.

**Q:** Is the price of the H-Beam product negotiable?

**A:** Yes, the price of the H-Beam product is negotiable based on the quantity ordered and other factors.

**Q:** How is the H-Beam product packaged and delivered?

**A:** The packaging details of the H-Beam product can be customized according to customer needs. Delivery time for the product is typically 15-30 work days after the order is placed. Payment terms for the product are TT (telegraphic transfer).



**Tianjin Baoli Gold Pipe Co., Ltd**



+86-15022596169



tjbaolijin@126.com



galvmetal.com

Jinghai District, Tianjin City, China