



S235JR H Beam Flange Thickness 7-34mm Length 6-12m With Galvanized Painted

Our Product Introduction

for more products please visit us on galvmetal.com

Basic Information

- Place of Origin: Hebei, China
- Certification: ISO9001
- Minimum Order Quantity: Negotiable
- Price: Negotiable
- Packaging Details: According to customer needs
- Delivery Time: 15-30 work days
- Payment Terms: TT



Product Specification

- Material: Carbon Steel
- Packing: In Bundles Or As Required
- Thickness: 5-34mm
- Surface Treatment: Galvanized, Painted, Or As Required
- Grade: Q235B, Q345B, SS400, A36, A572 Gr50, S235JR, S355JR
- Shape: H-shaped Cross-section
- Flange Thickness: 7-34mm
- Length: 6-12m
- Highlight: **s235jr h beam flange, s235jr flange h beam, 34mm flange h beam**



Product Description

Product Description:

Our H Sectional Beam is made with the highest quality materials and is available in a range of sizes to meet your specific needs. The flange thickness ranges from 7 to 34mm, while the flange width ranges from 50 to 400mm. We also offer customization options so that you can get the exact size and shape you need for your project.

Our H Sectional Beam is perfect for a variety of applications, including construction, bridge building, machinery support, equipment foundation, and more. It is a durable and reliable choice for any project that requires a strong and stable structural steel I beam.

We offer a range of grades to choose from, including Q235B, Q345B, SS400, A36, A572 Gr50, S235JR, and S355JR. No matter which grade you choose, you can be confident that you are getting a high-quality product that will meet your needs and exceed your expectations.

Technical Parameters:

Attribute	Value
Product Name	Structural Steel I Beam, Sectional Steel Beam, H Sectional Beam
Grade	Q235B, Q345B, SS400, A36, A572 Gr50, S235JR, S355JR
Shape	H-shaped Cross-section
Flange Width	50-400mm
Surface Treatment	Galvanized, Painted, Or As Required
Thickness	5-34mm
Flange Thickness	7-34mm
Material	Carbon Steel
Size	Customization
Packing	In Bundles Or As Required
Application	Construction, Bridge, Machinery, Equipment Foundation, Support, Etc.

Applications:

The H-Beam has a H-shaped cross-section, with a flange thickness of 7-34mm. It is available in different grades such as Q235B, Q345B, SS400, A36, A572 Gr50, S235JR, and S355JR. The surface treatment can be galvanized, painted, or as required by the customer.

The H-Beam is ideal for various applications and scenarios in the construction industry. It is commonly used as a structural support in buildings, bridges, and other large structures. Due to its strong and durable nature, it can withstand heavy loads and provide stability to the structure. It is also used as a framework for industrial buildings and warehouses.

The H-Beam is also used in the manufacturing of heavy equipment such as cranes and mining machinery. Its unique shape and strength make it an ideal component for these types of machines. It is also used in shipbuilding, where it is used as a support structure for the vessel.



Packing and Shipping:

Product Packaging:

The H-Beam product will be securely strapped and wrapped in plastic to prevent any damage during transportation.

The H-Beam will then be placed on a wooden pallet and securely fastened to the pallet to prevent any movement during transportation.

The H-Beam will be labeled with product information, including the product name, weight, dimensions, and handling instructions.

Shipping:

The H-Beam product will be shipped via a reliable and reputable shipping company.

The shipping company will provide tracking information, so the customer can track the shipment and know when to expect delivery.

Shipping costs will be calculated based on the destination and weight of the H-Beam product.

FAQ:

Frequently Asked Questions about H-Beam:

Q: What is H-Beam?

A: H-Beam is a type of steel beam with an H-shaped cross-section. It is widely used in construction and other industries.

Q: Where is H-Beam manufactured?

A: H-Beam is manufactured in Hebei, China.

Q: Does H-Beam come with any certifications?

A: Yes, H-Beam is certified with ISO9001.

Q: What is the minimum order quantity for H-Beam?

A: The minimum order quantity for H-Beam is negotiable.

Q: How much does H-Beam cost?

A: The price of H-Beam is negotiable and depends on various factors such as quantity, specifications, and delivery location.

Q: What are the packaging details for H-Beam?

A: The packaging details for H-Beam are according to customer needs.

Q: What is the delivery time for H-Beam?

A: The delivery time for H-Beam is 15-30 work days.

Q: What are the payment terms for H-Beam?

A: The payment terms for H-Beam are TT.



Tianjin Baoli Gold Pipe Co., Ltd



+86-15022596169



tjbaolijin@126.com



galvmetal.com

Jinghai District, Tianjin City, China

